

# SGLT2 阻害薬イプラグリフロジン投与による各種メタボリックマーカの推移

		0 weeks	24 weeks	P value
<b>Systolic BP</b>	mmHg	133.5 ± 15.9 (130)	127.9 ± 13.3 (98)	<0.05
<b>Diastolic BP</b>	mmHg	79.3 ± 11.8 (130)	74.6 ± 9.8 (98)	<0.01
<b>FBG</b>	mg/dL	162.3 ± 46.8 (129)	139.1 ± 38.4 (105)	<0.01
<b>T-Cho</b>	mg/dL	187.1 ± 29.5 (130)	193.7 ± 30.3 (109)	0.13
<b>LDL-C</b>	mg/dL	109.7 ± 24.3 (131)	113.0 ± 24.8 (109)	0.67
<b>TG</b>	mg/dL	163.7 ± 95.5 (131)	150.9 ± 101.2 (109)	0.51
<b>HDL-C</b>	mg/dL	50.4 ± 12.6 (131)	54.1 ± 16.0 (109)	<0.01
<b>HMW adiponectin</b>	mg/mL	2.84 ± 2.4 (80)	2.99 ± 2.51 (109)	<0.01
<b>Leptin</b>	mg/mL	16.6 ± 11.1 (80)	15.4 ± 11.2 (59)	0.64
<b>PRA</b>	ng/mL/hr	1.91 ± 2.93 (56)	3.04 ± 4.70 (40)	0.08
<b>aldosterone</b>	pg/mL	127.8 ± 63.0 (56)	162.9 ± 96.4 (41)	<0.05